







Drifting & tunneling

R28 (1 1/8")
Thread

Drifting & tunneling

Button bit		Dimensions D		Flushing hole (mm)		Buttons (mm)		Angle	Class	Part no.
		mm	in	Front No size	Gauge No size	Front No size	Gauge No size			
	38	1 1/2	1×5	2×5	2×7	5×9	30°	H	3038R2807	
	41	1 5/8	1×5	2×5	2×8	5×9	30°	H	3041R2807	
	43	1 11/16	1×5	2×5	2×8	5×10	30°	H	3043R2807	
	45	1 3/4	1×5	2×5	2×9	5×11	30°	H	3045R2807	
	41	1 5/8	2×5.5	2×5	2×8	6×9	30°	S	3041R2808	
	43	1 11/16	3×5	–	3×8	6×9	30°	M	3043R2809	
	45	1 3/4	3×5	1×5	3×8	6×10	30°	M	3045R2809	
Reaming tools										
Pilot bit 6° taper										
40	1 37/64	2×5	2×5.5	2×8	4×9	30°	–	3040R2806KP		
Reaming bit 6° taper										
76	3	–	–	–	8×11	35°	–	3076R2808KR		
Dome bit										
76	3	2×9	2×7	1×11	14×11	35°	–	3076R2815KD		

R28 (1 1/8") Thread

Drill rod



Hex rod 28 with threads R28/R32



Hex rod 32 with threads R28/R32



Dimensions L			Dimensions D		Part no.
mm	ft	in	mm	in	
2800	9	2	28	1 1/8	2128R32R2828
3100	10	2	28	1 1/8	2128R32R2831
3700	12	2	28	1 1/8	2128R32R2837

4310	14	2	32	1 1/4	2132R32R2843
------	----	---	----	-------	--------------

Coupling

R28-R28



L (mm)	Dimensions D		Part no.
	mm	in	
160	37	1 29/64	MX-R283716

Crossover coupling R28-R32



171	45	1 3/4	MX-R28R324517
-----	----	-------	---------------

Drifting
& tunneling

"Globe Drilling Industry Experts"

No matter what kinds of soft rock, loose-medium rock, hard rock and any other special formations, just tell us what you need, our special tailored service is waiting for you upon your demand.



MAXDRILL ROCK TOOLS CO., LTD
KEMAICO USA CORP

Add: 9/F, Fuzhong International Plaza, No.72 Xinhua Road, Nanming District,
Guiyang, Guizhou, China

Tel: +86-851-88639105/06 Fax: +86-851-88639108

E-mail: office@kemaico.com info@kemaico.com

Web: www.maxdrillrocktools.com www.kemaico.com www.maxdrill.com.cn