

# Small hole Drilling

H22 (7/8")  
Taper tools, 7° taper

Small hole  
drilling

## Button bit

Dimensions D		Flushing hole (mm)		Buttons (mm)		Angle	Class	Part no.		
mm	in	Front No size	Gauge No size	Front No size	Gauge No size					
H22		32	1 1/4	2×4	1×4	2×7	5×7	40°	-	30322207-07
		34	1 11/32	2×4	1×4	2×7	5×7	40°	-	30342207-07
		36	1 13/32	2×4.5	1×4.5	2×7	5×8	40°	-	30362207-07
		38	1 1/2	2×5	1×4.5	2×7	5×8	40°	-	30382207-07
		41	1 5/8	2×5	1×5	2×7	5×9	40°	-	30412207-07



## H22

H22		34	1 11/32	2×4	1×4	2×7	6×7	35°	-	30342208-07
		36	1 13/32	2×4.5	1×4.5	2×7	6×7	35°	-	30362208-07
		38	1 1/2	2×5	1×4.5	2×7	6×8	35°	-	30382208-07
		41	1 5/8	2×5	1×5	2×8	6×8	35°	-	30412208-07



## H25

H25		36	1 13/32	2×4.5	1×4.5	2×7	5×8	35°	-	30362507-07
		38	1 1/2	2×5	1×4.5	2×8	5×8	35°	-	30382507-07
		41	1 5/8	2×5	1×5	2×7	5×9	35°	-	30412507-07
		43	1 11/16	2×5	1×5	2×8	5×9	35°	-	30432507-07



## Chisel bit

### H22

H22		30	1 3/16	-	2×5	-	-	-	-	313022-07
		32	1 1/4	-	2×5	-	-	-	-	313222-07
		34	1 11/32	-	2×5	-	-	-	-	313422-07
		36	1 27/64	-	2×5	-	-	-	-	313622-07
		38	1 1/2	-	2×5.5	-	-	-	-	313822-07
		40	1 37/64	-	2×5.5	-	-	-	-	314022-07



### H25

H25		36	1 13/32	-	2×5	-	-	-	-	313625-07
		38	1 1/2	-	2×5.5	-	-	-	-	313825-07
		41	1 5/8	-	2×5.5	-	-	-	-	314125-07
		43	1 11/16	-	2×5.5	-	-	-	-	314325-07



# H22 (7/8")

Taper tools, 7° taper

## Drill rod



Hex shank 22 \* 108 mm



Hex shank 25 \* 108 mm



Dimensions L			Dimensions D		Part no.
mm	ft	in	mm	in	
600	2	-	22	7/8	10220607
800	2	7	22	7/8	10220807
1200	3	11	22	7/8	10221207
1600	5	-	22	7/8	10221607
2400	7	-	22	7/8	10222407
3200	10	6	22	7/8	10223207
4000	13	-	22	7/8	10224007

800	-	-	25	1	10250807
1600	4	-	25	1	10251607
2400	6	-	25	1	10252407
3200	8	-	25	1	10253207
4000	10	-	25	1	10254007

Small hole  
drilling

# "Globe Drilling Industry Experts"

No matter what kinds of soft rock, loose-medium rock, hard rock and any other special formations, just tell us what you need, our special tailored service is waiting for you upon your demand.



**MAXDRILL ROCK TOOLS CO., LTD**  
**KEMAICO USA CORP**

Add: 9/F, Fuzhong International Plaza, No.72 Xinhua Road, Nanming District,  
Guiyang, Guizhou, China

Tel: +86-851-88639105/06 Fax: +86-851-88639108

E-mail: [office@kemaico.com](mailto:office@kemaico.com) [info@kemaico.com](mailto:info@kemaico.com)

Web: [www.maxdrillrocktools.com](http://www.maxdrillrocktools.com) [www.kemaico.com](http://www.kemaico.com) [www.maxdrill.com.cn](http://www.maxdrill.com.cn)