


# SANDVIK

## Sandvik HL 300




Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R32	32	400	2.6	6208114119	60W400-8-R32D3202

## Sandvik HL 300 S Female



R28	45	245	2.7	6208113621	60W245-8-R28FD4502
R32	45	245	2.6	6208114120	60W245-8-R32FD4502

## Sandvik L 400,L 410,L 500,L 510,L 550




R32	32	380	2.1	6204014236	60W380-4-R32D3202
-----	----	-----	-----	------------	-------------------

## Sandvik RD 308,RD 314,RD 414




TA35	38	410	4.0	6210121123	60W410-10-TA35D3802
------	----	-----	-----	------------	---------------------

## Sandvik HLR 438 L,HLR 438 T



R32	38	380	2.7	6204014230	60W380-4-R32D3802
T38	38	400	3.3	6204022233	60W400-4-T38D3802

## Sandvik HLR 438 LS,438 TS,HL 538, HL 538 L,L 550 S



R32	38	450	3.7	6204114125	60W450-4-R32D3802
R38	38	450	4.1	6204117126	60W450-4-R38D3802
T38	38	455	4.0	6204122127	60W455-4-T38D3802

# SANDVIK

## Sandvik HL 500,HL 510




Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R32	45	550	5.4	6208114132	60W550-8-R32D4502
T38	45	550	5.6	6208122134	60W550-8-T38D4502
T45	45	550	5.9	6208123135	60W550-8-T45D4502

## Sandvik HL 500 S,HL 510 S



R32	38	460	3.9	6208114136	60W460-8-R32D3802
R38	38	460	4.2	6208117137	60W460-8-R38D3802
T38	38	460	4.0	6208122138	60W460-8-T38D3802
R38	38	500	4.4	6208117139	60W500-8-R38D3802
T38	38	500	4.3	6208122140	60W500-8-T38D3802

## Sandvik HL 500 F



R32	45	350	3.9	6208114612	60W350-8-R32FD4502
-----	----	-----	-----	------------	--------------------

## Sandvik HL 500,HL 500 S,HL 550 S,HL 560 S



R38	45	500	5.2	6208117142	60W500-8-R38D4502
T38	45	500	5.3	6208122143	60W500-8-T38D4502

# SANDVIK

## Sandvik HLX 5,HFX 5,RDX 5



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R32	45	500	5.1	6210114145	60W500-10-R32D4502
R38	45	500	5.3	6210117148	60W500-10-R38D4502
T38	45	500	5.3	6210122147	60W500-10-T38D4502
R32	45	575	5.4	6210114150	60W575-10-R32D4502
T38	45	575	5.7	6210122152	60W575-10-T38D4502
T45	45	575	6.2	6210123153	60W575-10-T45D4502

## Sandvik RD 520,RD 525



T38	45	525	5.6	6210122168	60W525-10-T38D4502
-----	----	-----	-----	------------	--------------------

## Sandvik HL 600,HL 600 S



T38	45	525	5.5	6208122179	60W525-8-T38D4502
T45	45	525	5.8	6208123180	60W525-8-T45D4502
T38	45	600	5.9	6208122181	60W600-8-T38D4502
T45	45	600	6.5	6208123182	60W600-8-T45D4502


## Sandvik HL 600



T45	52	650	7.6	6208123183	60W650-8-T45D5202
T51	52	650	8.1	6208124184	60W650-8-T51D5202

# SANDVIK

## Sandvik HL 645,HL 645 S



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T38	45	600	6.6	6208122622	60W600-8-T38D4502
T45	45	600	6.9	6208123185	60W600-8-T45D4502

## Sandvik HL 650,HL 700,HL 700 T, HL 710,HL 800 T




T38	45	600	7.0	6208122186	60W600-8-T38D4502
T45	45	600	7.2	6208123187	60W600-8-T45D4502

## Sandvik HL 650,HL 700,HL 700 PE, HL 700 S,HL 710,HL 710 S,HL 710 PE, HL 710 SPE,HL 800 T, HL 800 PE



T38	52	600	8.0	6208122188	60W600-8-T38D5202
T45	52	600	8.5	6208123189	60W600-8-T45D5202
T51	52	600	8.5	6208124190	60W600-8-T51D5202

## Sandvik HL 1000,HL 1000 S



T45	52	590	8.9	6208123191	60W590-8-T45D5202
T51	52	590	9.3	6208124192	60W590-8-T51D5202
T45	52	670	9.7	6208123193	60W670-8-T45D5202
T51	52	670	10.0	6208124194	60W670-8-T51D5202

## Sandvik HL 1000,HL 1010



T51	60	670	12.0	6208124195	60W670-8-T51D6002
ST58	60	670	12.8	6208134196	60W670-8-ST58D6002
MG60	60	670	13.0	6208126197	60W670-8-MG60D6002


# SANDVIK

## Sandvik HL 1000,HL 1010



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
ST58	80	635	17.0	6208134199	60W635-8-ST58D8002
ST68	80	640	18.8	6208135200	60W640-8-ST68D8002

## Sandvik HL 1000 PE,HL 1500 PE, HL 1560 T



T51	65	760	16.0	6208124202	60W760-8-T51D6502
ST58	65	760	16.8	6208134205	60W760-8-ST58D6502
MG60	65	760	17.0	6208126206	60W760-8-MG60D6502

## Sandvik HL 1500,HL 1500 T



T51	60	760	13.0	6208124211	60W760-8-T51D6002
MG60	60	760	15.0	6208126212	60W760-8-MG60D6002

# Kemaico Rock Tools Inc.

Add: 300 Knightsbridge Pkwy Ste. 113 Lincolnshire, IL60069

Tel: 1-847-913-6878 Fax: 1-847-913-6879

Mail:office@kemaico.com

# Maxdrill Rock Tools Co.,Ltd.

Add: No.14-16, 12th Floor,Building B6,Zhongjian Building,No.1 Luchongguan Road,Yunyan

District,Guiyang,Guizhou,China

Tel: 86-851-88639106 Fax: 86-851-88639108

Mail:info@kemaico.com

