

Small hole Drilling

H22 (7/8")
Taper tools, 12° taper

Small hole
drilling

Button bit

Dimensions D		Flushing hole (mm)		Buttons (mm)		Angle	Class	Part no.
mm	in	Front No size	Gauge No size	Front No size	Gauge No size			
H22								
32	1 1/4	2×4	1×4	2×7	5×7	40°	-	30322207-12
33	1 5/16	2×4	1×4	2×7	5×7	40°	-	30332207-12
35	1 3/8	2×4	1×5	2×7	5×7	40°	-	30352207-12
36	1 13/32	2×4.5	1×5	2×7	5×8	40°	-	30362207-12
38	1 1/2	2×4.5	1×5	2×8	5×8	40°	-	30382207-12
40	1 9/16	2×5	1×5	2×8	5×8	40°	-	30402207-12



H22

32	1 1/4	2×4.5	1×4.5	2×7	6×7	15°, 35°	-	30322208-12
34	1 11/32	2×4.5	1×4.5	2×7	6×7	15°, 35°	-	30342208-12
38	1 1/2	2×5	1×5	2×8	6×8	15°, 35°	-	30382208-12
45	1 3/4	2×5.5	2×4	2×8	6×9	15°, 35°	-	30452208-12



H25

36	1 13/32	2×4.5	1×5	2×7	5×8	35°	-	30362507-12
38	1 1/2	2×4.5	1×5	2×8	5×8	35°	-	30382507-12
41	1 9/16	2×5	1×5	2×7	5×9	35°	-	30412507-12
43	1 11/16	2×5	1×5	2×8	5×9	35°	-	30432507-12



Chisel bit

H22

30	1 3/16	-	2×5	-	-	-	-	313022-12
32	1 1/4	-	2×5	-	-	-	-	313222-12
34	1 11/32	-	2×5	-	-	-	-	313422-12
36	1 27/64	-	2×5	-	-	-	-	313622-12
38	1 1/2	-	2×5.5	-	-	-	-	313822-12
40	1 37/64	-	2×5.5	-	-	-	-	314022-12




H25

30	1 3/16	-	2×5	-	-	-	-	313025-12
32	1 1/4	-	2×5	-	-	-	-	313225-12
34	1 11/32	-	2×5	-	-	-	-	313425-12
36	1 27/64	-	2×5	-	-	-	-	313625-12
38	1 1/2	-	2×5.5	-	-	-	-	313825-12
40	1 37/64	-	2×5.5	-	-	-	-	314025-12



H22 (7/8")
Taper tools, 12° taper

Drill rod



Hex shank 22 * 108 mm



Dimensions L			Dimensions D		Part no.
mm	ft	in	mm	in	
610	2	-	22	7/8	10220612
1220	4	-	22	7/8	10221212
1830	6	-	22	7/8	10221812
2000	6	7	22	7/8	10222012
2440	8	-	22	7/8	10222412
3050	10	-	22	7/8	10223012
3200	10	6	22	7/8	10223212
3660	12	-	22	7/8	10223612

Small hole
drilling

"Globe Drilling Industry Experts"

No matter what kinds of soft rock, loose-medium rock, hard rock and any other special formations, just tell us what you need, our special tailored service is waiting for you upon your demand.



MAXDRILL ROCK TOOLS CO., LTD
KEMAICO USA CORP

Add: 9/F, Fuzhong International Plaza, No.72 Xinhua Road, Nanming District,
Guiyang, Guizhou, China

Tel: +86-851-88639105/06 Fax: +86-851-88639108

E-mail: office@kemaico.com info@kemaico.com

Web: www.maxdrillrocktools.com www.kemaico.com www.maxdrill.com.cn