

Small hole Drilling

H22 (7/8")
Taper tools, 6° taper

Small hole
drilling

Button bit

Dimensions D		Flushing hole (mm)		Buttons (mm)		Angle	Class	Part no.		
mm	in	Front No size	Gauge No size	Front No size	Gauge No size					
H22		32	1 1/4	2×4	1×4	2×7	5×7	40°	-	30322207-06
		34	1 11/32	2×4	1×4	2×7	5×7	40°	-	30342207-06
		36	1 27/64	2×4.5	1×4.5	2×7	5×8	40°	-	30362207-06
		38	1 1/2	2×5	1×4.5	2×7	5×8	40°	-	30382207-06
		41	1 5/8	2×5	1×5	2×7	5×9	40°	-	30412207-06



H22

H22		34	1 11/32	2×4	1×4	2×7	6×7	35°	-	30342208-06
		36	1 27/64	2×4.5	1×4.5	2×7	6×7	35°	-	30362208-06
		38	1 1/2	2×5	1×4.5	2×7	6×8	35°	-	30382208-06
		40	1 37/64	2×5	1×5	2×8	6×8	35°	-	30402208-06



H25

H25		36	1 27/64	2×4.5	1×4.5	2×7	5×8	35°	-	30362507-06
		38	1 1/2	2×5	1×4.5	2×8	5×8	35°	-	30382507-06
		41	1 5/8	2×5	1×5	2×7	5×9	35°	-	30412507-06
		43	1 11/16	2×5	1×5	2×8	5×9	35°	-	30432507-06



Chisel bit

H22

H22		30	1 3/16	-	2×5	-	-	-	-	313022-06
		32	1 1/4	-	2×5	-	-	-	-	313222-06
		34	1 11/32	-	2×5	-	-	-	-	313422-06
		36	1 27/64	-	2×5	-	-	-	-	313622-06
		38	1 1/2	-	2×5.5	-	-	-	-	313822-06
		40	1 37/64	-	2×5.5	-	-	-	-	314022-06



H25

H25		30	1 3/16	-	2×5	-	-	-	-	313025-06
		32	1 1/4	-	2×5	-	-	-	-	313225-06
		34	1 11/32	-	2×5	-	-	-	-	313425-06
		36	1 27/64	-	2×5	-	-	-	-	313625-06
		38	1 1/2	-	2×5.5	-	-	-	-	313825-06
		40	1 37/64	-	2×5.5	-	-	-	-	314025-06



H22 (7/8")

Taper tools, 6° taper

Drill rod



Hex shank 22 * 108 mm



Hex shank 25 * 108 mm



Dimensions L			Dimensions D		Part no.
mm	ft	in	mm	in	
600	2	-	22	7/8	10220606
800	2	7	22	7/8	10220806
1200	3	11	22	7/8	10221206
1600	5	-	22	7/8	10221606
2400	7	-	22	7/8	10222406
3200	10	6	22	7/8	10223206
4000	13	-	22	7/8	10224006

800	-	-	25	1	10250806
1600	4	-	25	1	10251606
2400	6	-	25	1	10252406
3200	8	-	25	1	10253206
4000	10	-	25	1	10254006

Small hole
drilling

"Globe Drilling Industry Experts"

No matter what kinds of soft rock, loose-medium rock, hard rock and any other special formations, just tell us what you need, our special tailored service is waiting for you upon your demand.



MAXDRILL ROCK TOOLS CO., LTD
KEMAICO USA CORP

Add: 9/F, Fuzhong International Plaza, No.72 Xinhua Road, Nanming District,
Guiyang, Guizhou, China

Tel: +86-851-88639105/06 Fax: +86-851-88639108

E-mail: office@kemaico.com info@kemaico.com

Web: www.maxdrillrocktools.com www.kemaico.com www.maxdrill.com.cn