




Drifting & tunneling

R35 (1 3/8")
Thread


Drifting & tunneling

Button bit


| | Dimensions D | | Flushing hole (mm) | | Buttons (mm) | | Angle | Class | Part no. |
|---|--------------|-------|--------------------|---------------|---------------|---------------|-------|-------|-------------|
| | mm | in | Front No size | Gauge No size | Front No size | Gauge No size | | | |
|  | 48 | 1 7/8 | 1×5.5 | 2×5.5 | 2×9 | 5×11 | 30° | H | 3048R3507 |
| | 51 | 2 | 2×6 | 1×5 | 2×9 | 5×11 | 30° | H | 3051R3507 |
|  | 48 | 1 7/8 | 3×5 | 1×5 | 3×9 | 6×10 | 30° | M | 3048R35F09 |
| | 51 | 2 | 3×5.5 | 1×5.5 | 3×9 | 6×10 | 35° | M | 3051R35F09 |
| | 54 | 2 1/8 | 3×6 | 1×6 | 3×10 | 6×11 | 35° | M | 3054R35F09 |
| | 57 | 2 1/4 | 3×7 | 1×6 | 3×10 | 6×11 | 35° | M | 3057R35F09 |
|  | 54 | 2 1/8 | 3×6 | 1×5.5 | 3×10 | 6×11 | 35° | M | 3054R35F09R |
| | 57 | 2 1/4 | 3×6 | 1×6 | 3×10 | 6×11 | 35° | M | 3057R35F09R |

Reaming tools


Pilot bit 12° taper

| | | | | | | | | | |
|--|----|-------|-----|-------|-----|-----|-----|---|-------------|
|  | 41 | 1 5/8 | 2×5 | 2×5.5 | 2×8 | 4×9 | 30° | - | 3041R3506KP |
|--|----|-------|-----|-------|-----|-----|-----|---|-------------|

Reaming bit 12° taper

| | | | | | | | | | |
|---|-----|-------|---|---|------|------|-----|---|--------------|
|  | 89 | 3 1/2 | - | - | 4×10 | 8×11 | 35° | - | 3089R3512KR |
| | 102 | 4 | - | - | 4×10 | 8×11 | 35° | - | 30102R3512KR |

Dome bit

| | | | | | | | | | |
|---|-----|-------|-----|-----|------|-------|-----|---|--------------|
|  | 76 | 3 | 2×9 | 2×7 | 1×11 | 14×11 | 35° | - | 3076R3515KD |
| | 89 | 3 1/2 | 2×9 | 2×8 | 1×12 | 14×12 | 35° | - | 3089R3515KD |
| | 102 | 4 | 2×9 | 2×9 | 1×12 | 14×12 | 35° | - | 30102R3515KD |

R35 (1 3/8") Thread

Drill rod



Hex rod 35 with threads R35/T38



| Dimensions L | | | Dimensions D | | Part no. |
|--------------|----|----|--------------|-------|--------------|
| mm | ft | in | mm | in | |
| 4310 | 14 | 2 | 35 | 1 1/4 | 2135T38R3543 |
| 4920 | 16 | 2 | 35 | 1 1/4 | 2135T38R3549 |
| 5530 | 18 | 2 | 35 | 1 1/4 | 2135T38R3555 |


Coupling

R35-R35



| Dimensions L | | Dimensions D | | Part no. |
|--------------|-------|--------------|-------|------------|
| mm | in | mm | in | |
| 160 | 6 1/4 | 48 | 1 7/8 | MX-R354816 |

Crossover coupling R32-R35



| | | | | |
|-----|-------|----|-------|---------------|
| 171 | 6 3/4 | 48 | 1 7/8 | MX-R35R324817 |
|-----|-------|----|-------|---------------|

Drifting & tunneling

"Globe Drilling Industry Experts"

No matter what kinds of rock-Soft rock,loose-medium rock, hard rock and any other special formations, just tell us what you need,our special Tailored service is waiting for you upon you demand.



KEMAICO

KEMAICO USA CORPORATION MAXDRILL ROCK TOOLS CO.,LTD

Add: 300 Knightsbridge Pkwy Ste. 113 Lincolnshire, IL 60069

Tel:1-847-9136878

Fax:1-847-9136879

Production Base: Er Guan Ba Industrial Area, Jiuchang Town, Xiuwen county, Guizhou Province, China

Tel:86-851-88639105/06/07 FAX:86-851-88639108

Web: www.kemaico.com www.max-drilling.com

Email: office@kemaico.com info@kemaico.com